



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/813,180

03/30/2004

Marlon D. Harris

20030146.ORI

5847

23595

7590

04/24/2006

NIKOLAI & MERSEREAU, P.A.  
900 SECOND AVENUE SOUTH  
SUITE 820  
MINNEAPOLIS, MN 55402

EXAMINER

COOLEY, CHARLES E

ART UNIT

PAPER NUMBER

1723

DATE MAILED: 04/24/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

10/813,180

Applicant(s)

HARRIS ET AL.

Examiner

Charles E. Cooley

Art Unit

1723

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 2 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☐ Responsive to communication(s) filed on \_\_\_\_.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-14 is/are pending in the application.
- 4a) Of the above claim(s) 13 and 14 is/are withdrawn from consideration.
- 5) ☒ Claim(s) 1-12 is/are allowed.
- 6) ☐ Claim(s) \_\_\_\_ is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_ is/are objected to.
- 8) ☒ Claim(s) 1-14 are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 06 July 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date 06212004.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_.

Art Unit: 1723

## **FIRST OFFICE ACTION**

1. This application has been assigned to Technology Center 1700, **Art Unit 1723** and the following will apply for this application:

Please direct all written correspondence with the correct application serial number for this application to Art Unit 1723.

Telephone inquiries regarding this application should be directed to the Electronic Business Center (EBC) at <http://www.uspto.gov/ebc/index.html> or 1-866-217-9197 or to the Examiner at (571) 272-1139. All official facsimiles should be transmitted to the centralized fax receiving number 571-273-8300.

### ***Election/Restriction Requirement***

2. Restriction to one of the following inventions is required under 35 U.S.C. 121:

- I. Claims 1-12, drawn to a movable shaft sealing system, classified in class 366, subclass 331.
- II. Claims 13-14, drawn to a sealing gland, classified in class 277, subclass 500.

3. The inventions are distinct, each from the other because of the following reasons:

4. Inventions I and II are related as combination and subcombination. Inventions in this relationship are distinct if it can be shown that (1) the combination as claimed does not require the particulars of the subcombination as claimed for patentability, and (2) that the subcombination has utility by itself or in other combinations (MPEP § 806.05(c)). In the instant case, the combination as claimed does not require the

Art Unit: 1723

particulars of the subcombination as claimed such as the part (b) of subcombination claim 13. The subcombination has separate utility such as its use without the seal drive system of claim 1.

5. Because these inventions are independent or distinct for the reasons given above and have acquired a separate status in the art in view of their different classification and the inventions require a different field of search (see MPEP § 808.02), restriction for examination purposes as indicated is proper.

6. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

7. During a telephone conversation with Chuck Mersereau on 20 APR 2006 a provisional election was made with traverse to prosecute the invention of Group I, claims 1-12. Affirmation of this election must be made by applicant in replying to this Office action. Claims 13-14 are thereby withdrawn from further consideration by the examiner, 37 CFR 1.142(b), as being drawn to a non-elected invention.

8. This application contains claims 13-14 drawn to an invention nonelected with traverse as above. A complete reply to this office action must include cancellation of nonelected claims or other appropriate action (37 CFR 1.144) See MPEP § 821.01.

Art Unit: 1723

### **Information Disclosure Statement**

9. Note the attached PTO-1449 form submitted with the Information Disclosure Statement filed 21 JUN 2004.

### **Drawings**

10. The replacement sheets of drawings filed on 6 JUL 2004 are disapproved. The top margins of each replacement sheet are not labeled --REPLACEMENT SHEET-- as required by 37 CFR 1.121. See below:

**C) Amendments to drawing figures:**

Drawing changes must be made by presenting replacement figures which incorporate the desired changes and which comply with 37 CFR 1.84. An explanation of the changes made must be presented either in the drawing amendments, or remarks, section of the amendment, and may be accompanied by a marked-up copy of one or more of the figures being amended, with annotations. Any replacement drawing sheet must be identified in the top margin as "Replacement Sheet" and include all of the figures appearing on the immediate prior version of the sheet, even though only one figure may be amended. Any marked-up (annotated) copy showing changes must be labeled "Annotated Marked-up Drawings" and accompany the replacement sheet in the amendment (e.g., as an appendix). The figure or figure number of the amended drawing(s) must not be labeled as "amended." If the changes to the drawing figure(s) are not accepted by the examiner, applicant will be notified of any required corrective action in the next Office action. No further drawing submission will be required, unless applicant is notified.

### **INFORMATION ON HOW TO EFFECT DRAWING CHANGES**

#### **Replacement Drawing Sheets**

Drawing changes must be made by presenting replacement figures which incorporate the desired changes and which comply with 37 CFR 1.84. An explanation of the changes made must be presented either in the drawing amendments, or remarks, section of the amendment. Any replacement drawing sheet must be identified in the top margin as "Replacement Sheet" (37 CFR 1.121(d)) and include all of the figures appearing on the immediate prior version of the sheet, even though only one figure may be amended. The figure or figure number of the amended drawing(s) must not be labeled as "amended." If the changes to the drawing figure(s) are not accepted by the examiner, applicant will be notified of any required corrective action in the next Office action. No further drawing submission will be required, unless applicant is notified.

Art Unit: 1723

Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin.

### **Annotated Drawing Sheets**

A marked-up copy of any amended drawing figure, including annotations indicating the changes made, may be submitted or required by the examiner. The annotated drawing sheets must be clearly labeled as "Annotated Marked-up Drawings" and accompany the replacement sheets.

### **Timing of Corrections**

Applicant is required to submit acceptable corrected drawings within the time period set in the Office action. See 37 CFR 1.85(a). Failure to take corrective action within the set period will result in ABANDONMENT of the application.

If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the "Notice of Allowability." Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136 for filing the corrected drawings after the mailing of a Notice of Allowability.

### ***Specification***

11. The specification has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.

12. The disclosure is objected to because of the following informalities:

a. Page 7, line 30: it appears "100 and 102" should be --102 and 104-- to agree with Figure 6.

b. Page 8, line 24: it appears "50" should be --84-- to agree with the drawings.

Appropriate correction is required.

13. The abstract is acceptable.
14. The title is acceptable.

***Claim Objections***

15. Claims 1, 7, and 9 are objected to because:
  - a. Claim 1, line 7: replace "said gland" with --said shaft sealing-- to agree with line 4 of the claim.
  - b. Claim 7, line 2: replace "operator" with --actuator-- to agree with claim 3.
  - c. Claim 9, line 2: replace "operator" with --actuator-- to agree with claim 5.Correction is required.

***Allowable Subject Matter***

16. Claims 1-12 are allowable over the prior art of record.
17. The following is an Examiner's statement of reasons for the indication of allowable subject matter:

The prior art of record does not teach or fairly suggest the recited gland assemblies with wipers and seal drive system of claim 1.

***Conclusion***

18. This application is in condition for allowance except for formal matters outlined above. Prosecution on the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Art Unit: 1723

A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

19. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

The cited prior art discloses sealing assemblies for shafts.

20. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles E. Cooley whose telephone number is (571) 272-1139. The examiner can normally be reached on Mon-Fri. All official facsimiles should be transmitted to the centralized fax receiving number 571-273-8300.

21. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Charles E. Cooley  
Primary Examiner  
Art Unit 1723

20 April 2006